

RECEIVED
CENTRAL FAX CENTER

JUL 10 2006

AMENDMENTS TO THE CLAIMS

Please amend the claims as indicated hereafter.

BEST AVAILABLE COPY***Listing of Claims:***

1. (Previously Presented) An apparatus for notifying a subscriber of new email messages located at a post office, comprising:

a wireless proxy email client in communication with a wireless network and a post office via an external network, the wireless proxy email client utilizing information from a file containing the subscriber's information to access the subscriber's email account at the post office at the external network, the wireless proxy email client retrieving a portion of an email message from the subscriber's account to uniquely identify the email message and sending a notification to a wireless device of the subscriber for alerting the subscriber of the email message at the post office enabling the wireless device to retrieve the email message directly from the post office.

2. (Original) The system of claim 1, wherein the file includes information consisting of a subscriber password, subscriber login information, and post office information.

3. (Canceled)

4. (Previously Presented) The system of claim 1, wherein the wireless proxy email client captures the subscriber's user profile comprising the subscriber's password, login information, and post office information when the subscriber accesses the post office via the wireless network.

5. (Previously Presented) The system of claim 4, wherein the wireless proxy email client stores the captured user profile in the file.

6. (Previously Presented) The system of claim 1, wherein the wireless network includes a wireless proxy email server in communication with the wireless proxy email client.

7. (Original) The system of claim 6, wherein the wireless proxy server is in communication with a storage device.
8. (Original) The system of claim 7, wherein the file is stored in the storage device.
9. (Original) The system of claim 7, wherein the portion of the email message retrieved from the post office is stored on the storage device.
10. (Previously Presented) The system of claim 1, wherein the wireless network includes an SMS message center.
11. (Previously Presented) The system of claim 10, wherein the wireless proxy email client sends a wireless SMS message notification to a mobile communication device to notify the subscriber of the email message via the SMS message center.
12. (Previously Presented) The system of claim 1, wherein the wireless proxy email client computes a checksum on the portion of the email message that the wireless proxy email client retrieves from the post office.
13. (Original) The system of claim 12, wherein the computed checksum is stored in the file and is used to determine whether there exists a new email message at the post office.
14. (Previously Presented) The system of claim 1, wherein the portion of the email message retrieved by the wireless proxy email client is a header portion of the email message.
15. (Previously Presented) The system of claim 1, wherein the wireless proxy email client sends a notification via the external network to a paging network for notifying the subscriber of the email message.
16. (Original) The system of claim 1, wherein the external network includes the Internet.

17. (Previously Presented) The system of claim 1, wherein the wireless proxy email client checks the post office for new email messages at a predetermined periodic rate.

18. (Previously Presented) A system for notifying a subscriber of new email messages located at a post office, comprising:

a wireless proxy email client in communication with a wireless network and a post office via an external network, the wireless proxy email client utilizing information from a file containing the subscriber's information to access the subscriber's email account at the post office, the wireless proxy email client retrieving a portion of a new email message to determine whether the subscriber has been notified of the new email message previously and sending a notification to a wireless device of the subscriber for alerting the subscriber of the new email message at the post office enabling the wireless device to retrieve the email message directly from the post office if the subscriber has not been notified previously about the new email message.

19. (Original) The system of claim 18, wherein the file includes information consisting of a subscriber password, subscriber login information, and post office information.

20. (Previously Presented) The system of claim 18, wherein the wireless proxy email client captures the subscriber's user profile comprising the subscriber's password, login information, and post office information when the subscriber accesses the post office via the wireless network.

21. (Previously Presented) The system of claim 20, wherein the wireless proxy email client stores the captured user profile in the file.

22. (Previously Presented) The system of claim 20, wherein the wireless network further comprises a wireless proxy email server in communication with the wireless proxy email client.

23. (Previously Presented) The system of claim 22, wherein the wireless proxy server is in communication with a storage device.

24. (Original) The system of claim 23, wherein the file is stored in the storage device.

25. (Original) The system of claim 23, wherein the portion of the email message retrieved from the post office is stored on the storage device.

26. (Original) The system of claim 18, wherein the wireless network further comprises an SMS message center.

27. (Previously Presented) The system of claim 26, wherein the wireless proxy email client sends a wireless SMS message notification to a mobile communication device to notify the subscriber of the email message via the SMS message center.

28. (Previously Presented) The system of claim 27, wherein the wireless network further comprises an MSC in communication with the SMS message center for delivering the notification to the mobile communication device.

29. (Previously Presented) The system of claim 18, wherein the wireless proxy email client computes a checksum on the portion of the email message that the wireless proxy email client retrieves from the post office.

30. (Original) The system of claim 29, wherein the computed checksum is stored in the file and is used to determine whether there exists a new email message at the post office.

31. (Previously Presented) The system of claim 18, wherein the portion of the email message retrieved by the wireless proxy email client is a header portion of the email message.

32. (Previously Presented) The system of claim 18, wherein the wireless proxy email client sends a notification via the external network to a paging network for notifying the subscriber of the email message.

33. (Original) The system of claim 18, wherein the external network includes the Internet.

34. (Previously Presented) The system of claim 18, wherein the wireless proxy email client checks the post office for new email messages at a predetermined periodic rate.

35. (Previously Presented) A method for notifying a subscriber of new email messages located at a post office, comprising:

establishing communication with a wireless proxy email client via an external network;
utilizing a subscriber's information contained in a file to access the subscriber's email

account at the post office;

retrieving a portion of an email message by the wireless proxy email client from the post office to uniquely identify the email message;

determining whether the subscriber has been previously notified about the email message;

and

sending a notification to a wireless device of the subscriber for alerting the subscriber of the new email message at the post office about which the subscriber has not been previously notified enabling the wireless device to retrieve the email message directly from the post office.

36. (Previously Presented) The method of claim 35, wherein sending the notification further comprises sending a wireless email notification.

37. (Original) The method of claim 35, further comprising computing a first checksum on the portion of the email message retrieved by the proxy email client.

38. (Original) The method of claim 35, further comprising storing the first checksum in the file.

39. (Previously Presented) The method of claim 38, further comprising determining whether the post office contains a new mail message by comparing the first checksum stored in the file with a second checksum computed on an email message at the post office, wherein the second checksum is computed on the portion of the email message retrieved by the proxy email client.

40. (Original) The method of claim 35, further comprising capturing a subscriber's user profile when the subscriber accesses a wireless network in communication with proxy email server to retrieve email messages at the post office.

41. (Original) The method of claim 40, wherein capturing the subscriber's user profile comprises capturing any one of a subscriber password, subscriber login information, and post office information.

42. (Original) The method of claim 40, further comprising storing the captured information in a secure file.

43. (Original) The method of claim 35, further comprising determining a periodic query rate for checking the post office for new email messages.

44. (Original) The method of claim 43, further comprising periodically checking the subscriber's post office for email messages at the predetermined rate.

45. (Previously Presented) The method of claim 35, further comprising:
creating a unique email message identifier record; and
storing the record.

46. (Previously Presented) The method of claim 45, wherein creating the record includes creating a record comprising a field including a checksum of a header portion of the email message retrieved by the wireless proxy email client.

47. (Previously Presented) The method of claim 46, wherein creating the record includes creating a record comprising a field including a user identification.

48. (Original) The method of claim 45, wherein creating the record includes creating a record comprising a field including an ISP domain name.

49. (Original) The method of claim 45, wherein creating the record includes creating a record comprising a field including an email message identification header.

50. (Original) The method of claim 45, wherein creating the record includes creating a record comprising a field including a user identification.

51. (Original) The method of claim 45, wherein creating the record includes creating a record comprising a field including a date on which an email message is received by the post office.

52. (Previously Presented) The method of claim 45, wherein creating the record includes creating a record comprising a field including a date on which an email message is retrieved by the wireless proxy email client.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.